



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
Contact: Chris Elliott  
Address: Attn: NREA 788110, B/1418, MCAGCC  
29 Palms, CA 92278-8110

Analytical Report: Page 1 of 9  
Project Name: 29 Palms E-Tank Proj EX097812  
Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
C3L1137-01	EQ Tank 1	Water	12/08/23 11:00	ESB Field	12/08/23 16:00	Corbin Doty
C3L1137-03	EQ Tank 2	Water	12/08/23 11:05	ESB Field	12/08/23 16:00	Corbin Doty



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 2 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number

**C3L1137-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 1	Water	12/08/23 11:00	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b><i>Testing performed by: Babcock Laboratories, Inc. - Riverside</i></b>							
<i>CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035</i>							
Per-/Polyfluorinated Alkyl Substances							
Perfluorobutanoic acid (PFBA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoropentanoic acid (PFPeA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorohexanoic Acid (PFHxA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoroheptanoic Acid (PFHpA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorooctanoic Acid (PFOA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorononanoic Acid (PFNA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorodecanoic Acid (PFDA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoroundecanoic Acid (PFUnA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorododecanoic Acid (PFDoDA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorobutanesulfonic Acid (PFBS)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoropentanesulfonate (PFPeS)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorohexanesulfonic Acid (PFHxS)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoroheptanesulfonic acid (PFHpS)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluorooctanesulfonic Acid (PFOS)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
4:2 Fluorotelomer Sulfonate	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
6:2 Fluorotelomer Sulfonate	ND	5.0	ng/L	EPA 533	01/05/24 17:59	MOF	
8:2 Fluorotelomer Sulfonate	ND	5.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
11-chloroeicosafuoro	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
3oxaundecane-1-sulfonic Acid	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoro-4-methoxybutanoic acid (PFMBA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Perfluoro-3-methoxypropanoic acid (PFMPA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 3 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number

**C3L1137-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 1	Water	12/08/23 11:00	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b><i>Testing performed by: Babcock Laboratories, Inc. - Riverside</i></b>							
<i>CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035</i>							
<b>Per-/Polyfluorinated Alkyl Substances</b>							
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	ND	2.0	ng/L	EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C9-PFNA-[IDA]	69%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C8-PFOS-[IDA]	106%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C8-PFOA-[IDA]	82%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C7-PFUnA-[IDA]	95%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C6-PFDA-[IDA]	89%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C5-PFPeA-[IDA]	64%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C5-PFHxA-[IDA]	72%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C4-PFHpA-[IDA]	77%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C4-PFBA-[IDA]	65%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C3-PFHxS-[IDA]	122%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C3-PFBS-[IDA]	132%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C2-PFDoA-[IDA]	93%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C2-8:2 FTS-[IDA]	109%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C2-6:2 FTS-[IDA]	115%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C2-4:2 FTS-[IDA]	127%	50-200		EPA 533	01/05/24 17:59	MOF	
Surrogate: 13C3-HFPO-DA-[IDA]	70%	50-200		EPA 533	01/05/24 17:59	MOF	

**Perfluorinated Compounds by EPA 537.1**

Perfluorohexanoic Acid (PFHxA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluoroheptanoic Acid (PFHpA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorooctanoic Acid (PFOA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorononanoic Acid (PFNA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorodecanoic Acid (PFDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluoroundecanoic Acid (PFUnA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorododecanoic Acid (PFDoDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorotridecanoic Acid (PFTrDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorotetradecanoic Acid (PFTeDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 4 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number  
**C3L1137-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 1	Water	12/08/23 11:00	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b><i>Testing performed by: Babcock Laboratories, Inc. - Riverside</i></b>							
<i>CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035</i>							
Perfluorinated Compounds by EPA 537.1							
Perfluorobutanesulfonic Acid (PFBS)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorohexanesulfonic Acid (PFHxS)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Perfluorooctanesulfonic Acid (PFOS)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
N-MeFOSAA	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
N-EtFOSAA	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
11-chloroeicosafuoro 3oxaundecane-1-sulfonic Acid	ND	1.8	ng/L	EPA 537.1	12/28/23 01:32	VPO	
Surrogate: 13C2-PFHxA	101%	70-130		EPA 537.1	12/28/23 01:32	VPO	
Surrogate: 13C3-HFPO-DA	95%	70-130		EPA 537.1	12/28/23 01:32	VPO	
Surrogate: 13C2-PFDA	96%	70-130		EPA 537.1	12/28/23 01:32	VPO	
Surrogate: N-EtFOSAA-D5	96%	70-130		EPA 537.1	12/28/23 01:32	VPO	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 5 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number

**C3L1137-03**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 2	Water	12/08/23 11:05	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b><i>Testing performed by: Babcock Laboratories, Inc. - Riverside</i></b>							
<i>CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035</i>							
Per-/Polyfluorinated Alkyl Substances							
Perfluorobutanoic acid (PFBA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoropentanoic acid (PFPeA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorohexanoic Acid (PFHxA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoroheptanoic Acid (PFHpA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorooctanoic Acid (PFOA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorononanoic Acid (PFNA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorodecanoic Acid (PFDA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoroundecanoic Acid (PFUnA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorododecanoic Acid (PFDoDA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorobutanesulfonic Acid (PFBS)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoropentanesulfonate (PFPeS)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorohexanesulfonic Acid (PFHxS)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoroheptanesulfonic acid (PFHpS)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluorooctanesulfonic Acid (PFOS)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
4:2 Fluorotelomer Sulfonate	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
6:2 Fluorotelomer Sulfonate	ND	4.5	ng/L	EPA 533	01/05/24 18:37	MOF	
8:2 Fluorotelomer Sulfonate	ND	4.5	ng/L	EPA 533	01/05/24 18:37	MOF	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
11-chloroeicosafuoro	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
3oxaundecane-1-sulfonic Acid	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoro-4-methoxybutanoic acid (PFMBA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Perfluoro-3-methoxypropanoic acid (PFMPA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 6 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number  
**C3L1137-03**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 2	Water	12/08/23 11:05	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
------------	--------	-----	-------	--------	---------------	---------	------

***Testing performed by: Babcock Laboratories, Inc. - Riverside***  
 CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035

Per-/Polyfluorinated Alkyl Substances

Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	ND	1.8	ng/L	EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C9-PFNA-[IDA]	105%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C8-PFOS-[IDA]	127%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C8-PFOA-[IDA]	106%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C7-PFUnA-[IDA]	122%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C6-PFDA-[IDA]	122%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C5-PFPeA-[IDA]	86%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C5-PFHxA-[IDA]	95%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C4-PFHpA-[IDA]	105%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C4-PFBA-[IDA]	80%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C3-PFHxS-[IDA]	129%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C3-PFBS-[IDA]	145%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C2-PFDoA-[IDA]	116%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C2-8:2 FTS-[IDA]	136%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C2-6:2 FTS-[IDA]	143%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C2-4:2 FTS-[IDA]	147%	50-200		EPA 533	01/05/24 18:37	MOF	
Surrogate: 13C3-HFPO-DA-[IDA]	91%	50-200		EPA 533	01/05/24 18:37	MOF	

Perfluorinated Compounds by EPA 537.1

Perfluorohexanoic Acid (PFHxA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluoroheptanoic Acid (PFHpA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorooctanoic Acid (PFOA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorononanoic Acid (PFNA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorodecanoic Acid (PFDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluoroundecanoic Acid (PFUnA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorododecanoic Acid (PFDoDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorotridecanoic Acid (PFTrDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorotetradecanoic Acid (PFTeDA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
 Contact: Chris Elliott  
 Address: Attn: NREA 788110, B/1418, MCAGCC  
 29 Palms, CA 92278-8110

Analytical Report: Page 7 of 9  
 Project Name: 29 Palms E-Tank Proj EX097812  
 Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

Laboratory Reference Number

**C3L1137-03**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
EQ Tank 2	Water	12/08/23 11:05	12/08/23 16:00

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b><i>Testing performed by: Babcock Laboratories, Inc. - Riverside</i></b>							
<i>CA ELAP No. 2698, EPA No. CA00102, NELAP No. OR4035</i>							
Perfluorinated Compounds by EPA 537.1							
Perfluorobutanesulfonic Acid (PFBS)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorohexanesulfonic Acid (PFHxS)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Perfluorooctanesulfonic Acid (PFOS)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
N-MeFOSAA	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
N-EtFOSAA	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
11-chloroeicosafuoro 3oxaundecane-1-sulfonic Acid	ND	1.8	ng/L	EPA 537.1	12/28/23 02:38	VPO	
Surrogate: 13C2-PFHxA	99%	70-130		EPA 537.1	12/28/23 02:38	VPO	
Surrogate: 13C3-HFPO-DA	97%	70-130		EPA 537.1	12/28/23 02:38	VPO	
Surrogate: 13C2-PFDA	96%	70-130		EPA 537.1	12/28/23 02:38	VPO	
Surrogate: N-EtFOSAA-D5	88%	70-130		EPA 537.1	12/28/23 02:38	VPO	



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: 29 Palms MCAGCC  
Contact: Chris Elliott  
Address: Attn: NREA 788110, B/1418, MCAGCC  
29 Palms, CA 92278-8110

Analytical Report: Page 8 of 9  
Project Name: 29 Palms E-Tank Proj EX097812  
Project Number: E-Tank PFAS 2023

Report Date: 10-Jan-2024

**Work Order Number: C3L1137**

Received on Ice (Y/N): Yes Temp: 5 °C

**Notes and Definitions**

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- \* / " : NELAP does not offer accreditation for this analyte/method/matrix combination

**Approval**

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted.

**Cindy A. Waddell**

cc:

e-Short\_No Alias.rpt

This report applies only to the sample(s) analyzed. As a mutual protection to clients, the public, and Babcock Laboratories, Inc., this report is submitted and accepted for the exclusive use of the Client to whom it is addressed. Interpretation and use of the information contained within this report are the sole responsibility of the Client. Babcock Laboratories, Inc. is not responsible for any misinformation or consequences that may result from misinterpretation or improper use of this report. This report is not to be modified or abbreviated in any way. Additionally, this report is not to be used, in whole or in part, in any advertising or publicity matter without written authorization from Babcock Laboratories, Inc. The liability of Babcock Laboratories, Inc. is limited to the actual cost of the requested analyses, unless otherwise agreed upon in writing. There is no other warranty expressed or implied.

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*Babcock Laboratories, Inc. - Riverside*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P (951) 653-3351  
F (951) 653-1662  
www.babcocklabs.com

CA ELAP No. 2698  
EPA No. CA00102  
NELAP No. OR4035  
LACSD No. 10119





BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: 29 Palms MCAGCC
Contact: Chris Elliott
Address: Attn: NREA 788110, B/1418, MCAGCC
29 Palms, CA 92278-8110
Report Date: 10-Jan-2024

Analytical Report: Page 9 of 9
Project Name: 29 Palms E-Tank Proj EX097812
Project Number: E-Tank PFAS 2023

Work Order Number: C3L1137

Received on Ice (Y/N): Yes Temp: 5 °C



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

6100 Quail Valley Court Riverside, CA 92507
(951) 653-3351 • FAX (951) 653-1662
www.babcocklabs.com

Chain of Custody & Sample Information Record

Form with fields for Client (Jacobs), Contact (Michael Pham), Project Name (537.1533), Project Location (29 palms), and a table for Sample Information with columns for Date, Time, and various chemical tests.

By signing on behalf of your organization and relinquishing this chain of custody you agree to abide by the Babcock Laboratories, Inc. Terms and Conditions.

Form for Sample Integrity Upon Receipt/Acceptance Criteria with checkboxes for 'Sample(s) Submitted on Ice?', 'Custody Seal(s) Intact?', and 'Sample(s) Intact?'.

Complex block containing the work order number C3L1137, a QR code, and the receipt date: Rc'd: 12/08/2023 16:00.